

Rermavoid NBS Specification

#### **R12 DRAINAGE BELOW GROUND**

Polypipe Civils, Charnwood Business Park, North Road, Loughborough, Leicestershire, LE11 1LE. Tel: 01509 615 100. Fax: 01509 610 215. Web: www.polypipe.com/civils

#### STORAGE TANKS - PLASTIC UNITS

Manufacturer: Polypipe Civils Product reference: Permavoid™ Material: Recycled plastic

Size: 708mm x 354mm x 150mm

Weight: 3kg

Storage Volume: 35.71 litres

Permavoid<sup>™</sup> is a high strength sub-base replacement system incorporating interlocking ties to each face and conform to BS7533-13:2009, to create a structural raft. Having a 95% void ratio the system will provide either an attenuation or infiltration drainage solution.

Consult with Polypipe Civils for recommendations and details.

Refer to Engineer Drawings xxxxxxx

Physical Properties of the Geocellular Units:

•	Element	value	Unit
•	Unconfined Compressive Strength	715	KN/m2
•	Volumetric Void Ratio	95	%
•	Effective Perforated Surface Area	52	%
•	Flow rate per m width @ zero Gradient	9	l/s
•	Flow rate per m width @ 5% gradient	21	l/s

Inlet Connections: xxx mm Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details. Installation: Consult with Polypipe Civils for recommendations and details.

- The Geocellular units shall be installed strictly in accordance with the manufacturer's recommendations and in a manner that will not cause damage.
- The constructed conduits shall be surrounded with a suitable separation/filtration geotextile prior to carefully backfilling with material approved by The Engineer. Bedding layers and backfills shall be as specified by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement.
- The tie arrangement shall be in accordance with the design drawings
- Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

Accessories: Permavoid Permatie, Permavoid Shear Connector



Manufacturer: Polypipe Civils Product reference: Permavoid™ Material: Recycled plastic Size: 708mm x 354mm x 85mm

Weight: 2.25kg

Storage Volume: 19.17 litres

Permavoid™ is a high strength sub-base replacement system incorporating interlocking ties to each face and conform to BS7533-13:2009, to create a structural raft. Having a 92% void ratio the system will provide either an attenuation or infiltration drainage solution. Consult with Polypipe Civils for recommendations and details. Refer to Engineer Drawings xxxxxxxx Physical Properties of the Geocellular Units:

•	Element	Value	Unit
•	Unconfined Compressive Strength	715	KN/
•	Volumetric Void Ratio	92	%
•	Effective Perforated Surface Area	52	%
•	Flow rate per m width @ zero Gradient	4	l/s
•	Flow rate per m width @ 2% gradient	7	l/s

Inlet Connections: xxx mm Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details. Installation: Consult with Polypipe Civils for recommendations and details.

- The Geocellular units shall be installed strictly in accordance with the manufacturer's recommendations and in a manner that will not cause damage.
- The constructed conduits shall be surrounded with a suitable separation/filtration geotextile prior to carefully backfilling with material approved by The Engineer. Bedding layers and backfills shall be as specified by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement.
- The tie arrangement shall be in accordance with the design drawings
- Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

Accessories: Permavoid Permatie, Permavoid Shear Connector

### **SOAKAWAY SYSTEMS – PLASTIC UNITS**

Manufacturer: Polypipe Civils Product reference: Permavoid™ Material: Recycled plastic

Size: 708mm x 354mm x 150mm

Weight: 3kg

Storage Volume: 35.71 litres

Permavoid<sup>™</sup> is a high strength sub-base replacement system incorporating interlocking ties to each face and conform to BS7533-13:2009, to create a structural raft. Having a 95% void ratio the system will provide either an attenuation or



infiltration drainage solution. Consult with Polypipe Civils for recommendations and details. Refer to Engineer Drawings xxxxxxx

Physical Properties of the Geocellular Units:

•	Element	Value	Unit
•	Unconfined Compressive Strength	715	KN/m2
•	Volumetric Void Ratio	95	%
•	Effective Perforated Surface Area	52	%
•	Flow rate per m width @ zero Gradient	9	l/s
•	Flow rate per m width @ 5% gradient	21	l/s

Inlet Connections: xxx mm Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details.

Installation: Consult with Polypipe Civils for recommendations and details.

- The Geocellular units shall be installed strictly in accordance with the manufacturer's recommendations and in a manner that will not cause damage.
- The constructed conduits shall be surrounded with a suitable separation/filtration geotextile prior to carefully backfilling with material approved by The Engineer. Bedding layers and backfills shall be as specified by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement.
- The tie arrangement shall be in accordance with the design drawings
- Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

Accessories: Permavoid Permatie, Permavoid Shear Connector

Manufacturer: Polypipe Civils Product reference: Permavoid™ Material: Recycled plastic Size: 708mm x 354mm x 85mm

Weight: 2.25kg

Storage Volume: 19.17 litres

Permavoid<sup>™</sup> is a high strength sub-base replacement system incorporating interlocking ties to each face and conform to BS7533-13:2009, to create a structural raft. Having a 92% void ratio the system will provide either an attenuation or infiltration drainage solution. Consult with Polypipe Civils for recommendations and details. Refer to Engineer Drawings xxxxxxxx Physical Properties of the Geocellular Units:

Element Value Unit
 Unconfined Compressive Strength 715 KN/m2
 Volumetric Void Ratio 92 %
 Effective Perforated Surface Area 52 %



Flow rate per m width @ zero Gradient 4 l/s
Flow rate per m width @ 2% gradient 7 l/s

Inlet Connections: xxx mm Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details. Installation: Consult with Polypipe Civils for recommendations and details.

- The Geocellular units shall be installed strictly in accordance with the manufacturer's recommendations and in a manner that will not cause damage.
- The constructed conduits shall be surrounded with a suitable separation/filtration geotextile prior to carefully backfilling with material approved by The Engineer. Bedding layers and backfills shall be as specified by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement.
- The tie arrangement shall be in accordance with the design drawings
- Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

Accessories: Permavoid Permatie, Permavoid Shear Connector

# GROUNDWATER PRESSURE RELIEF DRAIN FOR SURFACE/ SUB SURFACE WATER

Manufacturer: Polypipe Civils Product reference: Permavoid™ Material: Recycled plastic Size: 708mm x 354mm x 150mm

Weight: 3kg

Storage Volume: 35.71 litres

Permavoid™ is a high strength sub-base replacement system incorporating interlocking ties to each face and conform to BS7533-13:2009, to create a structural raft. Having a 95% void ratio the system will provide either an attenuation or infiltration drainage solution. Consult with Polypipe Civils for recommendations and details. Refer to Engineer Drwings xxxxxxxx Physical Properties of the Geocellular Units:

•	Element	Value	Unit
•	Unconfined Compressive Strength	715	KN/m2
•	Volumetric Void Ratio	95	%
•	Effective Perforated Surface Area	52	%
•	Flow rate per m width @ zero Gradient	9	l/s
•	Flow rate per m width @ 5% gradient	21	l/s

Inlet Connections: xxx mm
Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details. Installation: Consult with Polypipe Civils for recommendations and details.



- The Geocellular units shall be installed strictly in accordance with the manufacturer's recommendations and in a manner that will not cause damage.
- The constructed conduits shall be surrounded with a suitable separation/filtration geotextile prior to carefully backfilling with material approved by The Engineer. Bedding layers and backfills shall be as specified by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement.
- The tie arrangement shall be in accordance with the design drawings
- Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

Accessories: Permavoid Permatie, Permavoid Shear Connector

Manufacturer: Polypipe Civils Product reference: Permavoid™ Material: Recycled plastic Size: 708mm x 354mm x 85mm

Weight: 2.25kg

Storage Volume: 19.17 litres

Permavoid<sup>™</sup> is a high strength sub-base replacement system incorporating interlocking ties to each face and conform to BS7533-13:2009, to create a structural raft. Having a 92% void ratio the system will provide either an attenuation or infiltration drainage solution. Consult with Polypipe Civils for recommendations and details. Refer to Engineer Drwings xxxxxxxx Physical Properties of the Geocellular Units:

•	Element	Value	Unit
•	Unconfined Compressive Strength	715	KN/m2
•	Volumetric Void Ratio	92	%
•	Effective Perforated Surface Area	52	%
•	Flow rate per m width @ zero Gradient	4	l/s
•	Flow rate per m width @ 2% gradient	7	l/s

Inlet Connections: xxx mm Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details. Installation: Consult with Polypipe Civils for recommendations and details.

- The Geocellular units shall be installed strictly in accordance with the manufacturer's recommendations and in a manner that will not cause damage.
- The constructed conduits shall be surrounded with a suitable separation/filtration geotextile prior to carefully backfilling with material approved by The Engineer. Bedding layers and backfills shall be as specified by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement.
- The tie arrangement shall be in accordance with the design drawings



 Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

Accessories: Permavoid Permatie, Permavoid Shear Connector

#### **GEOTEXTILE MEMBRANES – FILTER**

Manufacturer: Polypipe Civils

Product reference: Permafilter SuDS Treatment Geotextile

Material: Non-woven, dimpled, needle punched polymeric material comprising a

proprietary blend of polyester fibres Size: 2.4m x 100m roll or 5.25 x 50m roll

The dimpled geotextile shall incorporate hydrophilic (water attracting / oil repellent) and hydrophobic (oil attracting / water repellent) properties to achieve oil retention.

Physical Properties shall be:

Element	Unit	Value
Physical Properties		
Weight per unit EN	g/m²	300
965	+ X + -	
Mechanical properties		
Tensile strength EN ISO 10319 (md / cmd)	KN/m	9 / 12
Elongation at max. load EN ISO 10319	%	56 / 55
(md / cmd)		
Static puncture (CBR-Test) EN ISO 12236	N	1575
Push-through displacement EN 918 (cone drop test)	mm	27
Characteristic opening size, O <sub>90</sub> EN ISO 12956	μm	77
Hydraulic Properties		
Water permeability EN ISO 11058	L/m <sup>2</sup> /s	57
Other Properties		
Air permeability ISO 9237	L/m²/s	1000
Maximum Oil Retention	L/10 m <sup>2</sup>	6
Effluent discharge at max. oil loading	ppm	10

Jointing: 300mm overlap

Installation: Remove humps and sharp projections and fill hollows before laying. Protect from damage due to:

- Exposure to light, except during laying (maximum five hours)
- Contaminants
- Materials listed as potentially deleterious by geotextile manufacturer
- Damage, until fully covered by fill
- Wind uplift, by laying not more than 15 m before covering with fill



#### **GEOTEXTILE MEMBRANES – IMPERVIOUS**

Manufacturer: Polypipe Civils

Product reference: Heavy Duty Impermeable Geomembrane

Material: Polypropylene

Size: 2m x 100m, 3m x 100m and 6m x 100m roll

A single layer cold applied robust welded flexible membrane suitable for

waterproofing to structures and for water containment. Membrane to be nominal

1mm thick laid with welded seams.

Physical Properties shall be:

Friysical Froperties shall be.				
Property	Test Method	Value	Unit	
Thickness	ASTM D-751	1	mm	
Density	ASTM D-792	0.9	g/cm3	
Tensile Stress	ASTM D-638	18	N/mm	
Elongation	ASTM D-638	>700	5	
Puncture Resistance	FTMS 101C	150	Z	
	(method 2065)			
Tear Resistance	ASTM D-1004	60	N	
Dimensional Stability	ASTM D-1204	2	%	
	(1hr @ 100°C)	* *		
Stress Crack	ASTM 5397	100	%	
Resistance				
Volatile Loss (5% loss	ASTM D-1203	0.2	%	
max)	(method A)			
Ozone Resistance	ASTM D-1149	No Cracks		
Carbon Black Content	ASTM 1603	2-3	%	
Moisture Vapour	ASTM E96	<0.1	g/m2/day	

Jointing: min. 120mm overlaps

- Application temperature of membrane shall be greater than 4°C
- Primer not required
- Number of Layers: One
- Extrusion welding shall be accepted only in areas where twin seam welding is in-appropriate

Installation: Remove humps and sharp projections and fill hollows before laying. Protect from damage due to:

- Exposure to light, except during laying (maximum five hours)
- Contaminants
- Materials listed as potentially deleterious by geotextile manufacturer
- Damage, until fully covered by fill
- Wind uplift, by laying not more than 15 m before covering with fill

#### GEOTEXTILE PROTECTION FLEECE

Manufacturer: Polypipe Civils

Product reference: Permatex 300 Protection Fleece

Material: Polypropylene

Size: 2.4m x 100m roll or 5.25 x 50m roll



Heavy Duty reinforced protection geotextile fleece is a 3 layer composite, scrim reinforced, low elongation, heavy-duty needle punched geotextile,applied to <u>all</u> external surfaces of Permavoid attenuation tanks. The Geotextile is to be used as a protection layer in conjunction with Heavy Duty Waterproof Impermeable Geomembrane.

#### Physical Properties shall be:

Property	Test Method	Value	Unit
Mass per unit area	EN ISO 9864	300	g/sq.m
Thickness under load	EN ISO 9863-1	2	Mm
2kPa			
CBR puncture	EN ISO 12236	4000	N
resistance			
Dynamic Cone Drop	EN ISO 13433	11	Mm
Tensile Strength (min)	EN ISO 10319	25	kN/M
at max.load			
Tensile Extension	EN ISO 10319	50	%
(max) at max. load			
Protection Efficiency	EN ISO 14575	300	N
Breakthrough Head	EN ISO 10319	nil	mm
Coefficient of	EN ISO 11058	55x10-3	m/s
Permeability			
Characteristic opening	EN ISO 12956	70	microns
size			

Jointing: 300mm overlap

Installation: Remove humps and sharp projections and fill hollows before laying. Protect from damage due to:

- Exposure to light, except during laying (maximum five hours)
- Contaminants
- Materials listed as potentially deleterious by geotextile manufacturer
- Damage, until fully covered by fill

Wind uplift, by laying not more than 15 m before covering with fill

#### LINEAR DRAINAGE CHANNEL SYSTEM

Manufacturer: Polypipe Civils Product reference: Permachannel

Combined surface water collector and silt/oil separator. The Permachannel system complies with the regulations of the treatment train criteria in a SUDS scheme as defined by PPG3.

Discharge shall be from the side of the channel via a weir & baffle component, which shall be capable of separating oils and silt from progressing beyond the channel into the rest of the drainage system.

Refer to Engineer Drawings xxxxxxx

Size: 210 x 150 x 1000mm

Weight: 29kg

Outlet pipe diameter: 40 mm.



## Pollution prevention performance:

Silt retention capacity - 7000ml/mOil retention capacity - 5000ml/m

Compressive Resistance - 96-104N/mm2

Bending Strength - 15-22N/mm2

Water absorption - <5%</li>

Density - 2300kg/m3Modulus of elasticity - 15-30kN/mm2

Chemical Resistance
 The polymer concrete shall be capillary free,

non porous sealed structure and resistant to

most chemical

Installation: Designed to be laid flat or max. 1:500

Accessories: Permachannel Universal Connector, Permachannel End Caps,

Permachannel Blanking Plugs, Permachannel Deflector Plates.

Joints: Consult with Polypipe Civils for recommendations and details

Cover gratings: Ductile Iron Grid

Fixings: Consult with Permavoid for recommendations and details.

Loading grade to BS EN 1433: D400

## OIL AND PETROL SEPARATOR UNITS - PLASTICS

Manufacturer: Polypipe Civils Product reference: Permaceptor Material: Recycled plastic Size: 1062 x 708 x 300mm

Weight: 20kg

Permaceptor is a high-strength mini oil separator designed to be incorporated within the pavement construction zone adjacent to road/ yard gullies. The system is connected to the outlet pipe from the gully and incorporates prefabricated weir and baffles to separate floating oils, providing source control treatment of sub-catchment run-off to meet the requirements of PPG3 treatment levels.

Consult with Polypipe Civils for recommendations and details.

Refer to Engineer Drawings xxxxxxx Pollution prevention performance:

Silt/ Oil retention capacity - 25 litres

Inlet pipe size: DN 150 (Or less with adaptor)

Outlet pipe size: DN 150

Installation: Consult with Polypipe Civils for recommendations and details.

Manufacturer: Polypipe Civils

Product reference: Permavoid™ BioMat Unit

Material: Recycled plastic

Size: 708mm x 354mm x 150mm

Weight: 3 kg

Storage Volume: 35.71 litres



Permavoid<sup>™</sup> BioMat is a high strength sub-base replacement system incorporating interlocking ties to each face and conform to BS7533-13:2009, to create a structural raft.

Hydrocarbon pollutants are removed from the surface water via a buoyant geocomposite located inside a Permavoid geocellular unit. The composite will interact with the free product oil, allow the formation of a biofilm on a solid surface and provide the opportunity for nutrient recycling within an active biofilm development. The system is intended to provide an environment which is ideal for the encouragement of oil degrading micro organisms where moisture, oil and oxygen from the atmosphere are all available in a situation supplied with a large surface area for oil adsorption and biofilm attachment.

Pollution prevention performance: Oil retention capacity - 56g/m2 Consult with Polypipe Civils for recommendations and details. Refer to Engineer Drawings xxxxxxx

### Physical Properties of the Geocellular Units:

•	Element	Value	
•	Unconfined Compressive Strength	715	KN/m2
•	Volumetric Void Ratio	95	%
•	Effective Perforated Surface Area	52	%
•	Flow rate per m width @ zero Gradient	9	l/s
•	Flow rate per m width @ 5% gradient	21	l/s

Inlet Connections: xxx mm
Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details. Installation: Consult with Polypipe Civils for recommendations and details.

- The Geocellular units shall be installed strictly in accordance with the manufacturer's recommendations and in a manner that will not cause damage.
- The constructed conduits shall be surrounded with a suitable separation/filtration geotextile prior to carefully backfilling with material approved by The Engineer. Bedding layers and backfills shall be as specified by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement.
- The tie arrangement shall be in accordance with the design drawings
- Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

Accessories: Permavoid Permatie, Permavoid Shear Connector

Medium Duty Permavoid™ with Biomat Treatment Unit

Manufacturer: Polypipe Civils

Product reference: Medium Duty Permavoid™ with Biomat Treatment Unit

Material: Recycled plastic

Size: 1000mm x 500mm x 400mm

Weight: 9 kg

Storage Volume: 190 litres



Hydrocarbon pollutants are removed from the surface water via a buoyant geocomposite located inside a Polystorm geocellular unit. The composite will interact with the free product oil, allow the formation of a biofilm on a solid surface and provide the opportunity for nutrient recycling within an active biofilm development. The system is intended to provide an environment which is ideal for the encouragement of oil degrading micro organisms where moisture, oil and oxygen from the atmosphere are all available in a situation supplied with a large surface area for oil adsorption and biofilm attachment.

Pollution prevention performance: Oil retention capacity - 56g/m2 Consult with Polypipe Civils for recommendations and details. Refer to Engineer Drawings xxxxxxx

Physical Properties of the Geocellular Units:

Element Value Unit
 Unconfined Compressive Strength 650 KN/m2
 Volumetric Void Ratio 95 %

Inlet Connections: xxx mm

Outlet pipe diameter: xxx mm.

Silt trap: Consult with Polypipe Civils for recommendations and details.

Installation:

- The Geocellular units shall be installed strictly in accordance with the
  manufacturer's recommendations and in a manner that will not cause
  damage. The constructed conduits shall be surrounded with a suitable
  separation/filtration geotextile prior to carefully backfilling with material
  approved by The Engineer. Bedding layers and backfills shall be as specified
  by the Engineer
- Jointing: each unit shall be connected to adjacent units with purpose made structural interlocking ties to prevent lateral displacement. The tie arrangement shall be in accordance with the design drawings
- Workmanship generally: Pre-laying checks: surface acceptability; before laying check that substrate surfaces are compacted and free from ridges and undulations

## ONE PIECE GULLIES AND COVERS (EXTERNAL)

Standard: BBA Cert. 90/R054, Manufacturer: Polypipe Civils

Product reference: Ridgigully corrugated polyethylene road gully

Sizes: 480mm Outlet size: 150mm

COVER

Product reference: xxxxxx

Type: xxxxxxx Material: xxxxxxx Size: xxxxxxxx

Loading grade: xxxxxxxx



### **INSTALLING UNDERGROUND STORAGE TANK UNITS**

The Installer will provide apparatus for the off-loading and handling of modular pipework and fittings in accordance with manufacturer's requirements/ recommendations and good practice. Any components suffering damage resulting from any means, will be immediately rejected from the site. Making good of damaged components will not be permitted.

## **CONTACT:**

Example Specification Polypipe Civils Charnwood Business Park North Road Loughborough Leicestershire **LE11 1SP** 

Tel: +44 (0) 1509 615100 Fax: +44 (0) 1509 615215

Email: civilsenguiries@polypipe.com

www.polypipe.com/civils

