

## No. KM 582221

The licence is granted to:

### Polypipe Building Products Limited Broomhouse Lane Edlington Doncaster DN12 1ES United Kingdom

#### In respect of: BS EN 607 BS EN 12200-1 BS1462

This issues the right and licence to use the Kitemark in accordance with the Kitemark Licence Conditions of Contract governing the use of the Kitemark, as may be updated from time to time by The British Standards Institution, and as approved by the Registrar under the Trade Marks Act 1994 (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Licence provided at or from the above address.

For and on behalf of BSI:

Gary Fenton, Global Assurance Director

First Issued: 5/11/2012

Latest Issue: 8/11/2012



## raising standards worldwide<sup>™</sup>

Page 1 of 6

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



## No. KM 582221

#### BS EN 607:2004 - Eaves gutters and fittings made of PCV-U

Product Code	Nominal Size	Description	Colours
RR100	112mm	Half Round Gutter – 2m Length	Black, White, Grey, Brown
RR101	112mm	Half Round Gutter – 4m Length	Black, White, Grey, Brown
RR102	112mm	Half Round Union Bracket	Black, White, Grey, Brown
RR103	112mm	Half Round 90° Angle	Black, White, Grey, Brown
RR104	112mm	Half Round 135° Angle	Black, White, Grey, Brown
RR105	112mm	Half Round Running Outlet	Black, White, Grey, Brown
RR106	112mm	Half Round Short Stop End Outlet	Black, White, Grey, Brown
RR107	112mm	Half Round External Stop End	Black, White, Grey, Brown
RR108	112mm	Half Round Internal Stop End	Black, White, Grey, Brown
RR39	-	Gutter Bracket Spacer	Black, White, Grey, Brown
RL600	150mm	Half Round Gutter – 2m Length	Black, Grey, Brown
RL601	150mm	Half Round Gutter – 4m Length	Black, Grey, Brown
RL602	150mm	Half Round Union Bracket	Black, Grey, Brown
RL603	150mm	Half Round 90° Angle	Black, Grey, Brown
RL605	150mm	Half Round Running Outlet	Black, Grey, Brown
RL607	150mm	Half Round External Stop End	Black, Grey, Brown
RL608	150mm	Half Round Internal Stop End	Black, Grey, Brown
RD500	117mm x 75mm	Polyflow Gutter – 3m Length	Black, White, Grey, Brown
RD501	117mm x 75mm	Polyflow Gutter – 4m Length	Black, White, Grey, Brown
RD502	117mm x 75mm	Polyflow Gutter Union	Black, White, Grey, Brown
RD503	117mm x 75mm	Polyflow 90° Angle	Black, White, Grey, Brown
RD504	117mm x 75mm	Polyflow 135° Angle	Black, White, Grey, Brown
RD505	117mm x 75mm	Polyflow Running Outlet	Black, White, Grey, Brown
RD507	117mm x 75mm	Polyflow External Stop End	Black, White, Grey, Brown
RD508	117mm x 75mm	Polyflow Internal Stop End	Black, White, Grey, Brown
RS200	112mm x 65mm	Square Section Gutter – 2m Length	Black, White, Brown
RS201	112mm x 65mm	Square Section Gutter – 4m Length	Black, White, Brown
RS202	112mm x 65mm	Square Section Union Bracket	Black, White, Brown
RS203	112mm x 65mm	Square Section 90° Angle	Black, White, Brown
RS204	112mm x 65mm	Square Section 135° Angle	Black, White, Brown
RS215	112mm x 65mm	Square Section 150° Angle	Black, White, Brown
RS205	112mm x 65mm	Square Section Running Outlet	Black, White, Brown

### First Issued: 5/11/2012

Latest Issue: 8/11/2012

Page 2 of 6



raising standards worldwide<sup>™</sup>

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



## No. KM 582221

#### BS EN 607:2004 - Eaves gutters and fittings made of PCV-U (continued)

Product Code	Nominal Size	Description	Colours
RS206	112mm x 65mm	Square Section Short Stop End Outlet	Black, White, Brown
RS207	112mm x 65mm	Square Section External Stop End	Black, White, Brown
RS208	112mm x 65mm	Square Section Internal Stop End	Black, White, Brown
ROG00	130mm x 70mm	Ogee Gutter – 2m Length	Black, White, Brown
ROG01	130mm x 70mm	Ogee Gutter – 4m Length	Black, White, Brown
ROG02	130mm x 70mm	Ogee Union Bracket	Black, White, Brown
ROG03	130mm x 70mm	Ogee External 90° Angle	Black, White, Brown
ROG13	130mm x 70mm	Ogee Internal 90° Angle	Black, White, Brown
ROG06	130mm x 70mm	Ogee External 120° Angle	Black, White, Brown
ROG16	130mm x 70mm	Ogee Internal 120° Angle	Black, White, Brown
ROG04	130mm x 70mm	Ogee External 135° Angle	Black, White, Brown
ROG14	130mm x 70mm	Ogee Internal 135° Angle	Black, White, Brown
ROG21	130mm x 70mm	Ogee External 150° Angle	Black, White, Brown
ROG05	130mm x 70mm	Ogee Running Outlet	Black, White, Brown
ROG07	130mm x 70mm	Ogee External Stop End – LH	Black, White, Brown
ROG17	130mm x 70mm	Ogee External Stop End – RH	Black, White, Brown
ROG08	130mm x 70mm	Ogee Internal Stop End – LH	Black, White, Brown
ROG18	130mm x 70mm	Ogee Internal Stop End – RH	Black, White, Brown
ROG15	130mm x 70mm	Ogee CI Ogee Connector – LH	Black, White, Brown
ROG19	130mm x 70mm	Ogee CI Ogee Connector – RH	Black, White, Brown
RH700	117mm x 75mm	Sovereign Gutter – 2m Length	Black, Brown, White, Oak Brown
RH701	117mm x 75mm	Sovereign Gutter – 4m Length	Black, Brown, White, Oak Brown
RH702	117mm x 75mm	Sovereign Union Bracket	Black, Brown, White, Oak Brown
RH703	117mm x 75mm	Sovereign External 90° Angle	Black, Brown, White, Oak Brown
RH713	117mm x 75mm	Sovereign Internal 90° Angle	Black, Brown, White, Oak Brown
RH706	117mm x 75mm	Sovereign External 120° Angle	Black, Brown, White, Oak Brown
RH716	117mm x 75mm	Sovereign Internal 120° Angle	Black, Brown, White, Oak Brown

### First Issued: 5/11/2012

Latest Issue: 8/11/2012



raising standards worldwide<sup>™</sup>

Page 3 of 6

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



## No. KM 582221

### BS EN 607:2004 - Eaves gutters and fittings made of PCV-U (continued)

Product Code	Nominal Size	Description	Colours
RH704	117mm x 75mm	Sovereign External 135º Angle	Black, Brown, White, Oak Brown
RH714	117mm x 75mm	Sovereign Internal 135° Angle	Black, Brown, White, Oak Brown
RH705	117mm x 75mm	Sovereign Running Outlet	Black, Brown, White, Oak Brown
RH707	117mm x 75mm	Sovereign External Stop End – LH	Black, Brown, White, Oak Brown
RH717	117mm x 75mm	Sovereign External Stop End – RH	Black, Brown, White, Oak Brown
RH708	117mm x 75mm	Sovereign Internal Stop End – LH	Black, Brown, White, Oak Brown
RH718	117mm x 75mm	Sovereign Internal Stop End - RH	Black, Brown, White, Oak Brown
RH721	117mm x 75mm	Sovereign Profiled External Stop End - LH	Black, Brown, White, Oak Brown
RH719	117mm x 75mm	Sovereign Profiled External Stop End - RH	Black, Brown, White, Oak Brown
RH731	117mm x 75mm	Sovereign Profiled Internal Stop End - LH	Black, Brown, White, Oak Brown
RH729	117mm x 75mm	Sovereign Profiled Internal Stop End - RH	Black, Brown, White, Oak Brown
RH720	117mm x 75mm	Sovereign Pipe Adaptor – Square to Round	Black, Brown, White, Oak Brown

First Issued: 5/11/2012

Latest Issue: 8/11/2012



raising standards worldwide<sup>™</sup>

Page 4 of 6

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



## No. KM 582221

### BS EN 12200-1:2000 - Plastics rainwater piping systems for above ground external use (PVC-U)

Product Code	Nominal Size	Description	Colours
RR121	68mm	Round Downpipe – 2.5m Length	Black, White, Grey, Brown
RR123	68mm	Round Downpipe – 4m Length	Black, White, Grey, Brown
RR124	68mm	Round Downpipe – 5.5m Length	Black, White, Grey, Brown
RR125	68mm	Round Connector - Standard	Black, White, Grey, Brown
RR131	68mm	Round Connector – CI/AC	Black, White, Grey, Brown
RR126	68mm	Round Pipe Bracket	Black, White, Grey, Brown
RR138	68mm	Round Socket Bracket	Black, White, Grey, Brown
RR152	68mm	Round Pipe Clip	Black, White, Grey, Brown
RR132	68mm	Round 921/2º Offset Bend	Black, White, Grey, Brown
RR127	68mm	Round 1121/2º Offset Bend	Black, White, Grey, Brown
RR136	68mm	Round Joint Cover	Black, White, Grey, Brown
RR128	68mm	Round Shoe	Black, White, Grey, Brown
RR129	68mm	Round 112 <sup>1</sup> / <sub>2</sub> ° Branch	Black, White, Grey, Brown
RR135	68mm	Round Access Pipe	Black, White, Grey, Brown
RR130	68mm	Hopper Head - Standard	Black, White, Grey, Brown
RR140	68mm	Hopper Head – Medium	Black, White, Grey, Brown
RL428	110mm	Round Shoe	Black, White, Grey, Brown
RL140	110mm	Hopper Head – Large	Black, White, Grey, Brown
RS221	65mm	Square Downpipe – 2.5mm Length	Black, Brown, White, Oak Brown
RS223	65mm	Square Downpipe – 4m Length	Black, Brown, White, Oak Brown
RS224	65mm	Square Downpipe – 5.5m Length	Black, Brown, White, Oak Brown
RS225	65mm	Square Connector - Plain	Black, Brown, White, Oak Brown
RS233	65mm	Square Connector – Offset inc. Bracket	Black, Brown, White, Oak Brown
RS234	65mm	Square Connector – Flush inc. Bracket	Black, Brown, White, Oak Brown
RS226	65mm	Square Pipe Bracket	Black, Brown, White, Oak Brown
RS236	65mm	Square Flush Pipe Bracket	Black, Brown, White, Oak Brown

### First Issued: 5/11/2012

Latest Issue: 8/11/2012



raising standards worldwide<sup>™</sup>

Page 5 of 6

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



## No. KM 582221

## BS EN 12200-1:2000 - Plastics rainwater piping systems for above ground external use (PVC-U) (continued)

Product Code	Nominal Size	Description	Colours
RS252	65mm	Square Pipe Clip	Black, Brown, White, Oak Brown
RS232	65mm	Square 921/2º Offset Bend	Black, Brown, White, Oak Brown
RS227	65mm	Square 1121/2º Offset Bend	Black, Brown, White, Oak Brown
RS237	65mm	Square Adjustable Offset – 25-67mm	Black, Brown, White, Oak Brown
RS228	65mm	Square Shoe	Black, Brown, White, Oak Brown
RS229	65mm	Square 1121/2º Branch	Black, Brown, White, Oak Brown
RS235	65mm	Square Access Pipe	Black, Brown, White, Oak Brown
RS231	65mm	Round to Square Adaptor	Black, White, Brown

#### BS EN 1462:2004 - Brackets for eaves gutters

Product Code	Nominal Size	Description	Colours
RR109	112mm	Half Round Fascia Bracket	Black, White, Grey, Brown
RL609	150mm	Half Round Fascia Bracket	Black, Grey, Brown
RD509	117mm x 75mm	Polyflow Fascia Bracket	Black, White, Grey, Brown
RS209	112mm x 65mm	Square Section Fascia Bracket	Black, White, Brown
ROG09	130mm x 70mm	Ogee Fascia Bracket	Black, White, Brown
RH709	117mm x 75mm	Sovereign Fascia Bracket	Black, Brown, White, Oak Brown

All fittings on this licence may be manufactured using a CaZn stabilized moulding formulation, ref. DB805.

Extruded profiles may either be manufactured from a CaZn stabilized extrusion formulation, ref. DB802 or from a CaZn stabilized soil formulation core, ref. DB808 and skinned with a CaZn stabilized skin formulation, ref. DB801.

First Issued: 5/11/2012

Latest Issue: 8/11/2012



raising standards worldwide<sup>™</sup>

Page 6 of 6

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000