

Date: 19.01.18

Code: Polybutene Product - Underfloor Heating Pipe, Polyplumb Push Fit Fittings, Polyfit, Push Fit Fittings.

Page: 1 of 5

# 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE

# **1.1 Product Identity**

Product Name: Polypipe Building Products - Polybutene Products: Underfloor Heating Pipe,

Polyplumb Push Fit Fittings, Polyfit, Push Fit Fittings.

1.2 Relevant Identified Uses:

Recommended use: Piping Systems

### 1.3 Details of Supplier

POLYPIPE BUILDING PRODUCTS

**BROOMHOUSE LANE** 

EDLINGTON

DONCASTER DN12 1ES

**TELEPHONE:** 01709 770000 **EMERGENCY:** 01709 770000

**EMAIL:** bp.datasheets@polypipe.com

The following information is based upon our current knowledge and experience of our products and is not exhaustive. It applies to the product range outlined above. The potential hazards identified, together with the recommended precautions for storage, handling and use, give the basic information for conducting workplace risk assessments and adequate control measures under the Control of Substances Hazardous to Health (Amendment) Regulations 2004, The CLP Regulations and the Approved Code of Practice

### 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Non-Hazardous under normal conditions and use

# 2.2 Label elements

Not applicable

# 2.3 Other hazards

Non-Hazardous under normal conditions and use. Fine particles released during cutting may cause irritation to the eyes and respiratory tract.

### 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 Substances

Polybutene

Chemical Name	EC No	CAS No.	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Polybutene	9003-28-5		95 - 100	Not classified	



Date: 19.01.18

Code: Polybutene Product - Underfloor Heating Pipe, Polyplumb Push Fit Fittings, Polyfit, Push Fit Fittings.

Page: 2 of 5

4: FIRST AID MEASURES

**General Advice:** 

**Inhalation:** Not applicable in normal use. If thermal decomposition occurs and

vapours have been inhaled, affected person is to be moved to fresh

air and seek medical attention.

**Skin Contact:** Not applicable under normal use. Fine particles released during

cutting - wash with soap and water

**Eye contact:** Not applicable under normal use. Fine particles released during

cutting - rinse with clean water for up to 15 minutes holding eyelids

apart. Seek medical advice.

**Ingestion:** Not applicable in normal use. If ingestion of dust occurs during

cutting, rinse mouth out with water and seek medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms:

Not applicable under normal use. Dust during cutting: Skin irritation, eye irritations

# 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors:

Not applicable under normal use.

### 5: FIRE FIGHTING MEASURES

# 5.1. Extinguishing media

Suitable Extinguishing Media

Water spray or CO2

# 5.2. Special hazards arising from the substance or mixture

With large fires self-contained breathing apparatus must be worn

### 5.3. Advice for firefighters

If immediate actions fail to extinguish, evacuate the area – Combustion of product produces toxic gases and fumes including Carbon Monoxide, Carbon Dioxide and unburned hydrocarbons (smoke)

### **6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Not applicable under normal conditions.

6.2. Environmental precautions

Environmental precautions Not applicable under normal conditions.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Material should be collected in clean containers and recycled

where practicable.

6.4. Reference to other sections

Reference to other sections: Sections 8 & 13



Date: 19.01.18

Code: Polybutene Product - Underfloor Heating Pipe, Polyplumb Push Fit Fittings, Polyfit, Push Fit Fittings.

Page: 3 of 5

# 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

### Advice on safe handling

Use in accordance with Work Instructions

Gloves should be worn if sharp edges present a risk of cut e.g. if product is broken.

## 7.2. Conditions for safe storage, including any incompatibilities

### **Storage Conditions**

Store in accordance with Work Instructions in a dry location.

Polybutene products should be stored away from excessive heat and away from strong oxidising agents.

### 7.3. Specific end use(s)

#### Other Information

N/A

# 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### **8.1 Control parameters**

Chemical name	Туре	Limit Value	Basis Revision Date
Polybutene	TWA	10 mg/m3 Inhalable	US (ACGIH) 2005
	TWA	3 mg/m3 Respirable	US (ACGIH) 2005

### 8.2. Exposure controls

Engineering Controls Not applicable in normal use.

**Personal Protective Equipment** 

General & hygienic measures Wash hands before breaks and at the end of work

Avoid contact with the eyes

**Eye/Face Protection** Suitable safety goggles should be worn to reduce the

potential risk due to cutting swarf and dust

Respiratory Protection Wear suitable dust mask if cutting operation

creates dust

**Protection of Hands**Abrasive resistant gloves should be worn to reduce the

potential risk of small cuts and abrasions, which may occur

during the installation / cutting process

# 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical State: Solid plastic products

ColourAs specifiedOdourSlightIgnition temperature>300°CMelting Point/Range50 - 170°C

**Danger of Explosion** Product is not explosive

**Density** < 1 g/m³ **Solubility in water** Insoluble



Date: 19.01.18

Code: Polybutene Product - Underfloor Heating Pipe, Polyplumb Push Fit Fittings, Polyfit, Push Fit Fittings.

Page: 4 of 5

### 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No hazardous reactions if stored and handled correctly

### 10.2. Chemical stability

Polybutene Products are stable under normal conditions

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known

### 10.4. Conditions to avoid

Avoid extreme heat / ignition and strong oxidisers.

## 10.5. Incompatible materials

Material may be softened by some hydrocarbons

### 10.6. Hazardous decomposition products

Thermal decomposition will evolve toxic vapours of carbon monoxide, olefinic and paraffinic compounds, trace amounts of organic acids, ketones, aldehydes and alcohols may be formed.

# 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Acute Toxicity Not applicable

**Primary Irritant Effect** 

On the Skin No irritant effect

On the Eye Dust may cause irritation

Sensitisation No sensitising effect known

### 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

There is no risk to the environment from the use of these products. The product is insoluble in water and there is no evidence of biodegradability in water or soil. Not harmful to aquatic organisms.

#### 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

**Product** Recycle where possible. Where not possible, dispose of in accordance

with local and national regulations.

# 14. TRANSPORT INFORMATION

These products are not classified as dangerous goods for carriage

# 15: REGULATORY INFORMATION

Not classified as hazardous for supply

### **16: OTHER INFORMATION**

Training Advice Provide adequate information, instruction, and training for operator

This product should be used in accordance with the manufacturer's instructions



Date: 19.01.18

Code: Polybutene Product - Underfloor Heating Pipe, Polyplumb Push Fit Fittings, Polyfit, Push Fit Fittings.

Page: 5 of 5

It is the user's responsibility to adhere to both National and Local Safety Regulations.

# This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet was compiled using current safety information supplied by distributors of the component materials. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

This safety data sheet. Recipients of the product must take responsibility for observing existing laws and regulations. This Safety Data Sheet is in REACH Annex II format and supersedes all previous issues, and users are cautioned to ensure it is the current version.

Destroy all previous revisions and refer to the supplier on +44 1709 770000 for queries regarding this data sheet.