



TYPICAL POLYPIPE GULLYCEPTOR CONNECTING TO SUB-BASE RESERVOIR DETAIL

Scale (1:15)

NOTES

1. All dimensions in millimetres, unless otherwise stated.
2. All dimensions are nominal and may vary within manufacturing tolerances.
3. All site temporary and enabling works by others.
4. Permavoids units to be installed in accordance with Polypipe Civils recommendations (refer to Polypipe technical guidance for further information); giving due consideration to the requirements of the organisation who will be taking ultimate ownership of the installation.
5. This drawing is intended for guidance only. Confirmation of the information contained within this document should be sought from the consulting engineers before final design or construction activities commence.

REV	AMENDMENT	DATE

STATUS		FOR INFORMATION	
DATE	27/10/15	DRAWN BY	BM

PROJECT		TITLE	
PERMAVOID STANDARD DETAIL		PERMAVOID WITH GULLYCEPTOR SUDSAGG ATTENUATION DETAIL	
DRAWING No.	PV_SD_AT_GC_002	SCALE	AS SHOWN

Polypipe Civils
 Chamwood Business Park,
 North Road, Loughborough,
 Leicestershire, LE11 1LE
 Tel: 01509 615100
 Fax: 01509 615215
 www.polypipe.com/civils
 www.polypipe.com/wms

The information in this document is of an illustrative nature and is supplied by Polypipe Civils without charge. This document does not form the whole or any part of a contract or intended contract with the user. The information within this document should not be solely relied upon to determine the suitability or installation requirements of our products for a proposed application and expected site conditions; expert advice should be sought in this respect. Final determination of the suitability of any information or material for the use contemplated and the manner of use is the sole responsibility of the user and the user must assume all risk and liability in connection therewith. Further information with regard to liabilities may be found at www.polypipe.com/disclaimer.