RIDGISTORMSeparate Catchpits

PRODUCT INFORMATION

Polypipe Civils

RIDGISTORMSeparate Catchpits are designed to separate silt and other particles from stormwater, helping to protect the downstream drainage system and local environment. They can be integrated into our range of pipe systems, such as Ridgidrain and Ridgistorm-XL to offer a fully integrated drainage system.

Applications

RIDGISTORMSeparate Catchpits are pre-fabricated for use in a range of stormwater systems requiring silt and debris seperation and retention.

Key Features and Benefits

- Provides easy access for silt collection
- Network Rail Parts and Drawing System (PADs) approved for use in CESS Areas
- Separates silt and debris from the downstream drainage system
- Eliminates wastage associated with in-situ construction
- Multiple inlet and outlet options, supplied with integral sockets as standard allowing quick and seamless connection to pipeline
- Depths can be tailored to suit project requirements
- Optional step rungs to BS EN 13101 and ladders to BS EN 14396
- Integral lifting points available on request to improve Health and Safety of handling and installation
- Stub connections and rocker pipes are available

Other fabrications in our RIDGISTORMSeparate range:

Charnwood Business Park, Loughborough, Leicestershire LE11 1LE

Tel: +44 (0)1509 615100 Fax: +44 (0)1509 610215 Email: civils@polypipe.com

- Silt Traps
- Filter Chambers

Performance

RIDGISTORMSeparate Catchpits are fabricated from Ridgistorm-XL pipework, which is manufactured to meet the material requirements of BS EN 13476:2007 (Part 1-3).

RIDGISTORMSEPARATE CATCHPITS

PHYSICAL PROPERTIES	
Diameter	450-3000mm
Depth	To suit requirements
Sump depth	To suit (min. 50mm)
Material	HDPE
Colour	Black with blue Interior
Chemical resistance	HDPE is naturally resistant to most chemicals associated with stormwater drainage systems
Inlets/outlets	100-3000mm

Our Ridgistorm-XL Fabrications range

All of our Ridgistorm-XL fabrications are tailor-made, fully-welded, watertight structured wall chambers to suit project-specific requirements. Health and Safety benefits become apparent during handling and installation, due to our fabrications' strong but light in weight nature. In addition, off-site construction ensures uncompromised, high quality products being delivered to site ready-to-install, reducing installation time and costs.



Data Sheet

ISSUE 1 - MAY 2016



Ρ1



Polypipe

RIDGISTORMSeparate Catchpits

RIDGISTORMSeparate Chamber Wall

> (size and orientation

PRODUCT INFORMATION

ISSUE 1 - MAY 2016

P2

RIDGISTORMSeparate Catchpit

Min 0450

Outlet — (size and orientation as required





All descriptions and illustrations in this publication are intended for guidance only and shall not constitute a 'sale by description'. All dimensions given are nominal and Polypipe may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. The information in this publication is provided 'as is' on May 2016. Updates will not be issued automatically. This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law) if you place any reliance on this publication you must do so at your own risk. All rights reserved. Copyright in this publication belongs to Polypipe and all such copyright may not be used, sold, copied or reproduced in whole or part in any menner in any media to any person without prior consent. Polypipe is a registered trademark of Polypipe. All Polypipe products are protected by Design Right under CDPA 1988. Copyright © 2016 Polypipe. All rights reserved.

Polypipe Civils

Charnwood Business Park, Loughborough, Leicestershire LE11 1LE Tel: +44 (0)1509 615100 Fax: +44 (0)1509 610215 Email: civils@polypipe.com www.polypipe.com/civils

